L Number	Hits	Search Text	DB	Time stamp
-	63	(session near8 identif$4) and (digest near11 (messag$4 key$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 18:32
-	22	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and (second near11 server)) and (digest near11 (messag$4 key$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:59
-	428	(server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 17:46
-	15	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 server)) and (digest$4 near11 (messag$4 key$4)) and (secur$4 near8 session) and (stat$4 near8 (information data packet$4 bit$4)) and (ssl (secur$4 adj socket$4 adj layer)) and databas$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 16:35
-	19	(server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and (digest$4 near11 (messag$4 key$4)) and (secur$4 near8 session) and (stat$4 near8 (information data packet$4 bit$4)) and (ssl (secur$4 adj socket$4 adj layer)) and (stat$4 near11 databas$4) and ((send$4 forward$4 transmi$8 transfer$6 receiv$4 retriev$4) near11 stat$4 near11 (information data packet$4 fram$4 bit$4 fil$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 17:48
-	6	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection))) and (stat$4 near11 (information data packet$4 bit$4) near11 databas$4) and (ssl (secur$4 adj socket$4 adj layer)) and ((send$4 forward$4 transmi$8 transfer$6 receiv$4 retriev$4) near11 stat$4 near11 (information data packet$4 fram$4 bit$4 fil$4)) not (((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection))) and (digest$4 near11 (messag$4 key$4)) and (stat$4 near11 (information data packet$4 bit$4) near11 databas$4) and (ssl (secur$4 adj socket$4 adj layer)) and ((send$4 forward$4 transmi$8 transfer$6 receiv$4 retriev$4) near11 stat$4 near11 (information data packet$4 fram$4 bit$4 fil$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 18:11
-	84	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 server)) and (secur$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 08:36
-	482	(server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 08:36

BEST AVAILABLE COPY

–		5	(server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4 near11 stat$4) and ((second different another) near11 (server connection)) and (ssl (secur$4 adj socket$4 adj layer)) and (secur$4 near8 session) not (((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection))) and (digest$4 near11 (messag$4 key$4)) and (stat$4 near11 (information data packet$4 bit$4) near11 databas$4) and (ssl (secur$4 adj socket$4 adj layer)) and ((send$4 forward$4 transmi$8 transfer$6 receiv$4 retriev$4) near11 stat$4 near11 (information data packet$4 fram$4 bit$4 fil$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 18:21
–		9	(server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4 near11 stat$4) and ((second different another) near11 (server connection)) and (ssl (secur$4 adj socket$4 adj layer)) not (((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection))) and (digest$4 near11 (messag$4 key$4)) and (stat$4 near11 (information data packet$4 bit$4) near11 databas$4) and (ssl (secur$4 adj socket$4 adj layer)) and ((send$4 forward$4 transmi$8 transfer$6 receiv$4 retriev$4) near11 stat$4 near11 (information data packet$4 fram$4 bit$4 fil$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:50
–		1	(server near11 (multipl$4 pluralit$4 many) same stat$4 near8 (information data packet$4 bit$4) near11 identif$5) and (ssl (secur$4 adj socket$4 adj layer)) not bowman$7.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:35
–		19	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection))) and (digest$4 near11 (messag$4 key$4)) and (stat$4 near11 (information data packet$4 bit$4) near11 databas$4) and (ssl (secur$4 adj socket$4 adj layer)) and ((send$4 forward$4 transmi$8 transfer$6 receiv$4 retriev$4) near11 stat$4 near11 (information data packet$4 fram$4 bit$4 fil$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 17:01
–		57	(session near8 identif$4) and (messag$4 adj2 digest)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:33
–		9	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 server)) and (digest$4 near11 (messag$4 key$4)) and (secur$4 near8 session) and (stat$4 near8 (information data packet$4 bit$4)) and (ssl (secur$4 adj socket$4 adj layer)) and (stat$4 near11 databas$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:38
–		24	(server near11 (multipl$4 pluralit$4 many) same stat$4 near8 (information data packet$4 bit$4)) and (ssl (secur$4 adj socket$4 adj layer)) not bowman$7.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:48
–		22	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and (second near11 server)) and (digest$4 near11 (messag$4 key$4)) and (secur$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:46

C:\APPS\EAST\Workspaces\09539266.wsp

–	120	(server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection)) and (secur$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:55
–	61	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection)) and (secur$4 near8 session)) and (((maintain$4 "same") with (key public privat$4 cryptograph$4 encrypt$6)) and (new$3 with (connection shar$4 session)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 16:03
–	55	(((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection)) and (secur$4 near8 session)) and (((maintain$4 "same") with (key public privat$4 cryptograph$4 encrypt$6)) and (new$3 with (connection shar$4 session)))) not accenture.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 16:03
–	40	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 (server connection)) and (secur$4 near8 session)) and (((maintain$4 "same") with (key public privat$4 cryptograph$4 encrypt$6) same (connection shar$4 session)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 16:03
–	28	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and (second near11 server)) and (digest$4 near11 (messag$4 key$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:33
–	47	(server near11 (multipl$4 pluralit$4 many)) and ((second different another) near11 server) and (ssl (secur$4 adj socket$4 adj layer)) and (stat$4 near8 (information data packet$4 bit$4) near11 identif$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 20:38
–	21	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 server)) and (digest$4 near11 (messag$4 key$4)) and (secur$4 near8 session) and (stat$4 near8 (information data packet$4 bit$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:33
–	7	((server near11 (multipl$4 pluralit$4 many)) and ((second different another) near11 server) and (ssl (secur$4 adj socket$4 adj layer)) and (stat$4 near8 (information data packet$4 bit$4) near11 identif$5) and ((session connect$6) with establ$6 with (reus$4 exist$4 "same"))) not bowman$6.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 20:39
–	291	(ssl (secur$4 adj socket$4 adj layer)) and ((second another) with (server firewall gateway prox$4)) and ((session connect$6) with (reus$4 exist$4 maintain$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:08
–	270	(ssl (secur$4 adj socket$4 adj layer)) and ((second another) with (server prox$4)) and ((session connect$6) with (reus$4 exist$4 maintain$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:10
–	191	(ssl (secur$4 adj socket$4 adj layer)) and ((second another) near3 (server prox$4)) and ((session connect$6) with (reus$4 exist$4 maintain$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:19
–	16	(ssl (secur$4 adj socket$4 adj layer)) and ((second another) near3 (server prox$4)) same ((session connect$6) with (reus$4 exist$4 maintain$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:14

–	105	(ssl (secur$4 adj socket$4 adj layer)) and (secure near4 connect$5) and ((second another) near3 (server prox$4)) and ((session connect$6) with (reus$4 exist$4 maintain$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:19
–	85	((ssl (secur$4 adj socket$4 adj layer)) same session same (maintain$4 "same") same (server firewall gateway prox$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
–	44	(ssl (secur$4 adj socket$4 adj layer)) and ((second another) with (server prox$4)) same ((session connect$6) with (reus$4 exist$4 maintain$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
–	20	(ssl (secur$4 adj socket$4 adj layer)) and ((second$4 another) near3 (server prox$4)) same ((session connect$6) with (reus$4 exist$4 maintain$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
–	39	(server near11 (multipl$4 pluralit$4 many)) and ((second different another) near11 server) and (ssl (secur$4 adj socket$4 adj layer)) and (stat$4 near8 (information data packet$4 bit$4) near11 identif$5) and ((session connect$6) with establ$6 with (reus$4 exist$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
–	20	((ssl (secur$4 adj socket$4 adj layer)) same session same (maintain$4 "same") same (server firewall gateway prox$4)) and ((session connect$6) with establ$6 with (reus$4 exist$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
–	22	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 server)) and (digest$4 near11 (messag$4 key$4)) and (secur$4 near8 session) and (stat$4 near8 (information data packet$4 bit$4)) and (ssl (secur$4 adj socket$4 adj layer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
–	30	((server near11 (multipl$4 pluralit$4 many)) and (session near8 identif$4) and ((second different another) near11 server)) and (digest$4 near11 (messag$4 key$4)) and (secur$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19

BEST AVAILABLE COPY